

#### **PAST PAPERS**

Faculty	Department / Section/Division
Not Applicable	Learning Resource Centre

Past Papers

Faculty of Maritime Science Department of Marine Electrical

Electro Technical Officer Phase 111

2019-2022

Document Control & Approving Authority

Senior Director - Quality Management & Administration

1st Issue Date: 2017.011.30

Revision No.00

Revision Date: 11/08/2020

Validated by: Librarian



ELECTRO TECHNICAL OFFICER CADET TRAINING COURSE

ETC- Phase IT

EXAMINATION QUESTION PAPER
MARINE ELECTRICAL PRACTICE – HIGH VOLTAGE

			1
	<ul> <li>This question paper consist of 06 questions.</li> <li>Answer any 05 questions.</li> </ul> Date:	STO DESCRIPTION OF THE PROPERTY AND THE PROPERTY OF THE PROPER	Time allocated: 03Hrs
	a. List Ten Personal Protective Equipment to Wo		
	b. What are the Technical specifications of the PP	E suitable for HV work	(04 Marks)
	c. Why PPE should be appropriate and approved		(04 Marks)
	d. Which of the HV boundary should not be enter	ed /access without PPE	(02 Marks)
02.	a. What are the names of minimum four compartm	ents of the HV Control panel	(08 Marks)
	b. List most important Electrical Components local	ited in the HV Cable compartment in G	enerator Control panel.
			(08 Marks)
	c. What tests are available to access the condition	of circuits breaker contact points.	(04 Marks)
03.	a. What are the reasons for harmonic generation		(05 Marks)
	b. Ways to reduce harmonic distortion	'	(05 Marks)
	c. List two methods of monitoring Harmonic disto	rtion	(05 Marks)
	d. What are the disadvantages of Harmonics in Ele	ectrical power systems	(05 Marks)
04.	a. What is the name of the HV test suitable to Che	eck the health condition of the HV Gene	erator,
	HV Motor and HV Transformer		(04 Marks)
	b. Briefly explain the types of circuit breakers suit	able for HV distribution network.	(06 Marks)
	c. When maintenance are carried out in HV equip	ment what additional precautions requi	red, what tools,
	accessories and instruments required		(10 Marks)
05.	With reference to diesel Electric propulsion arran	gement onboard ships	
	a. Sketch cyclo-converter method of speed control		(10 Marks)
	b. Sketch and describe the operation of the propul		(10 Marks)
06.	a. What are the main condition to be met before ra	ck in or rack out Main VCB of Generato	or Panel
			(08 Marks)
	b. Explain purpose of verifying the following cond	itions (at least one reason for each cond	
	i. State of Vacuum Circuit breaker.		(03 Marks)
	ii. State of Excitation Switch		(03 Marks) (03 Marks)
	<ul><li>iii. State of Circuit Main Earthing Switch.</li><li>iv. State of Cable compartment door position</li></ul>		(03 Marks)

15

ELECTRO TECHNICAL OFFICER CADET TRAINING COURSE

## EXAMINATION QUESTION PAPER SHIP BOARD HYDRAULIC & PNEUMATIC & ELECTRICAL PRACTICE

- This question paper consists of 07 questions.
- Answer any six questions.

Date: Pass mark 50% Time allocated: 03Hrs

01). a. What is the factor that will influence the speed of hydraulic systems? (02 Marks)

b. State how this factor will deviate with pressure? (04 Marks)

c. Briefly explain the function of the hydraulic pump in the system. (06 Marks)

02). a. In a hatch cover hydraulic system has double acting rams with 2 feet stroke length which holds 1 Gallon of oil. Pump flow rate is reduced to ½ gallons per minute. How long it will take to lift up the hatch covers if the ship is even keel?

(06 Marks)

(04 Marks)

b. Why is it important to have system pressure limiting valve?


d. Who is responsible for the working pressure of system?

(05 Marks)

c. What is the purpose of a pressure relief valve in the power pack?

(05 Marks)

03).



The circuit above illustrates an electro-pneumatic system. Answer the following questions:

a. What are the type of the switches S1, S2 and K1?	(02 Marks)
b. Is the electric circuit above direct or indirect? Explain why.	(02 Marks)
c. What is the name of the part which is labeled as Y1?	(02 Marks)
d. Explain what happens when the switch SI is pressed. Does the cylinder extend? Explain why.	(03 Marks)
e. Explain what happens when the switch S2 is pressed. Does the cylinder extend? Exp	plain why.
	(03 Marks)
f. Explain how to retract the above cylinder.	(04 Marks)
04. a. What is the meaning of sequential circuits?	(02 Marks)
b. What is the difference between Repeat pattern & Non-repeat pattern sequences?	(02 Marks)
c. Draw an Electrical control & Electro pneumatic circuit diagrams for A-B+B-A+ sequ	ience.
	(12 Marks)
05. a. State the regulations pertaining to testing of shipboard steering gear system accord to SOLAS.	ing (04 Marks)
b. With an aid of a diagram explain the function of a fail-safe steering system.	(12 Marks)
06. a. With the aid of a block diagram explain the function of Main Engine Air Starting sy	ystem.
	(10 Marks)
b. State FOUR alarms and TWO trips in Main Engine protecting system and explain tested for correct working order.	how they can be (06 Marks.)
07. a. Explain with a diagram using one refrigeration system, how do you maintain two to different compartments such as meat and Vegetable room	emperatures in two (10 Marks)
b. With regards to refrigeration, write short nots of the following	
a. Expansion Valve.	(02 Marks)
b. Super heat.	(02 Marks)
c. Oil Separator.	(02 Marks)



Lilen

61

#### ELECTRO TECHNICAL OFFICER CADET TRAINING COURSE -03

#### Examination Question Paper Marine Electro Technology & Power Technology

- This question paper consists of 07 questions.
- Answer any 06 questions.

Date: 2019.07.17

Pass mark 50%

Time allocated: 03Hrs

01. a. Explain the Kirchhoff's law's

(04 Marks)

b. Determine the branch current through  $60\Omega$  resistor shown in figure 01 using Kirchhoff's laws.

(12 Marks)




Figure 01

- 02. a. Draw a sinusoidal wave form and mark
  - i. Maximum value
  - ii. Periodic value
  - iii. Instantaneous value.

(06 Marks)

b. Give the relationship between rms value & maximum value of the sinusoidal wave form.

(02 Marks)

c. Three circuits in parallel takes the following currents.

 $I_1 = 30 \sin \omega t$ 

 $I_2 = 25\sqrt{2} \sin(\omega t - \pi/4)$ 

 $I_3 = 40 \sin (\omega t - \pi/2)$ .

Find

i. The expression for the resultant current.

(06 Marks)

ii. Its rms value

(02 Marks)

03.	a. Pure resistive, pure inductive and pure capacitor are individually connected	across an AC supply.
	i. Draw the wave form of voltage across each component and current th	nrough it.
		(04 Marks)
	ii. Draw the voltage & current phasor diagram in each case.	(04 Marks)
	b. A coil of pure inductance of 636mH in connected in series with a pure resis circuit in supplied from 50Hz source and the voltage across 100Ω resistor for 200V.Calculate the supply voltage & phase current.	tor of 100Ω.The eed to be (08 Marks)
04.	a. Describe with a aid of a block diagram, an electrical system that can derive main propulsion unit explaining the function of each component.	its power from (08 Marks)
	b. Explain the operating principle of the frequency converter.	(08 Marks)
05.	<ul> <li>Describe with a aid of a block diagram, how automatic starting, load sharin of generators in response to load changing is affected.</li> </ul>	g and stopping (08 Marks)
	b. Sketch a load/frequency diagram showing two generators with similar specthe electrical load.	ed droops sharing (08 Marks)
06.	<ul> <li>With reference to induction motors</li> <li>a. State two reasons why rotor conductors are angular.</li> <li>b. State the consequences of the air gap between the stator and rotor being <ol> <li>i. To Large.</li> <li>ii. To small.</li> </ol> </li> <li>c. Explain how rotor leakage flux takes place and its effects on the motor.</li> <li>d. State three reasons for motor overheating.</li> </ul>	(02 Marks) (02 Marks) (02 Marks) (04 Marks) (06 Marks).
07.	With reference to Automatic voltage regulators fitted to electric Generators:	
	a. State the purpose of AVR and explain its operation with a block diagram	(08 Marks)
	b. State an acceptable recovery time from initiation of a voltage change	(02 Marks).
	c. In control system, explain those elements that provide	
	<ul><li>i. Stability.</li><li>ii. Load Change.</li><li>iii. Fast Response.</li></ul>	(02 Marks) (02 Marks) (02 Marks)





## ELECTRO TECHNICAL OFFICER CADET TRAINING COURSE

#### **EXAMINATION QUESTION PAPER** MARINE LEGISLATION & NAVIGATIONAL EQUIPMENT

	& NAVIGATIONAL EQUIPME	NI X THE STATE OF
<ul> <li>This question paper consist 07 questions.</li> <li>Answer any 06 questions only.</li> <li>Date:</li> </ul>		Γime allocated: 03Hrs
01. Describe the operating procedure of the follow		
a. Sewage treatment Plant.		(04 Marks)
b. Shipboard Incinerator.		(04 Marks)
c. Sewage Comminutor.		(04 Marks)
d. Ballast Water treatment plant.		(04 Marks)
02. a. Explain how the control of discharge of Oil	from Engine room space is regu	
Annex I regulation.		(08 Marks)
b. Explain the purpose of 15 PPM automatic oil	monitoring and control unit, w	
and extracted from this unit.		(08 Marks)
03. a. Describe the types of inspection required un	der Annex I, prior issuance of I	OPP certificate.
		(08 Marks)
<ul> <li>b. With the aid of a diagram explain the opera be tested for safe and efficient operation.</li> </ul>	tion of an Oily Water separator	, and explain how it can (08 Marks)
04. Explain the principle of Clock Synchronization reference to GPS	and electromagnetic distance	measurement with
		(16 Marks)
05. Write brief notes about construction, operation	n and maintenance of the follow	
a. Doppler Log System		(08 Marks)
b. Electromagnetic Log System		(08 Marks)
0 0 7		(committee)
06. Show AIS Internal parts and external sensors a	nd describe the Satellite based	AIS (16 Marks)
07. a. Explain with reasons, modes of Auto Pilot of	peration.	(06 Marks)
b. With a block diagrams explain the internal f	unctions of a simple Auto pilot	. (10 Marks)




## ELECTRO TECHNICAL OFFICER CADET TRAINING COURSE

## EXAMINATION QUESTION PAPER AUTOMATION, INSTRUMENTATION & ELECTRONICS.

This question paper consists of 3 sections, 08 questions.

Date:	Pass mark 50% Time alloca	ted: 03Hrs
ection 1 - Electronics and power electronics ol. a. Draw the symbol of a SCR and identify the	terminals of it.	(02 Marks)
b. Briefly describe how it works.		(02 Marks)
c. What are the different turn on methods of	SCR? (Give at least three methods.)	(02 Marks)
d) Write short notes on natural commutation		(02 Marks)
e) Draw V-I characteristic curve of a typical s		ons on it. (02 Marks)
f. Draw a typical simple snubber network won SCR power circuits.	vith minimum number of components and d	lescribe the use of it (04 Marks)
g. Below is a full wave diode bridge rectifier.	Draw the output waveform.(Fig l. g)	(02 Marks)
+ AC inpu	DC output	
h. Redraw the bridge circuit with SCRs ins waveform. What is the advantage of this	tead of diodes and describe the function of i	t with typical outpo (02 Marks
<ol> <li>Describe how this modified circuit can b circuit, with the DC motor as the load.</li> </ol>	e used as a variable speed controller of a DC	02 Marks (02 Marks
02. a. Explain the function of a cycloconverter motor drive. b. What are the two popular types of cyclo		o a marine propulsio (02 Mark (02 Mark
c Identify the cycloconverter type given in		(02 Mark
d. Describe the operation of below cycloc		(02 Mark
	with their proper technical names. (Fig 2.e)	(02 Mark

Page 1 of 4



f. What is stroboscopic effect and what causes it?

(02 Marks)


- g. Explain why stroboscopic effect considered as a threat to operators working near rotating machines?
  (02 Marks)
- h. Mention two practical uses of stroboscope as a trouble shooting equipment on an auxiliary engine and alternators. (02 Marks)
- i. Describe three methods that can be adopted in eliminating stroboscopic effect in an engine room machinery area of a ship. (04 Marks)
- 03. a. Describe a stable multivibrator, monostable multivibrator and bistable multivibrator.


(02 Marks)

- b. Below is a timer circuit using a 555 IC, and which gives a square wave output. Define duty cycle of the output square waveform. (Fig 3.b) (02 Marks)
- c. Calculate the duty cycle of the output waveform.

(02 Marks)

d. Calculate the frequency of the output waveform. Assume,  $t_{low}$  = 0.693 $R_2C_1$  and  $t_{high}$  = 0.693 ( $R_1$  +  $R_2$ ) $C_1$  (Fig 3.d)






e. Briefly explain what is BCD and convert decimal (2587)10 in to BCD.

(02 Marks)

f. Draw the symbols of following logic gates.
AND, OR, XOR, NOT, NAND, NOR, XNOR (Hint: Assume all are two input logic gates.)

(02 Marks)

g. Write the equation for output Y for the below combinational digital logic circuit. (Fig 3. g)



(04 Marks)

h. Draw the truth table for above circuit. (Fig 3. g)


(04 Marks)

#### Section 2 - Control Systems

04. With regards to Programmable logic controllers,

- a. Explain methods of the communication among individual PLCs of distributed monitoring and control systems. (08 Marks)
- b. A 3-digit code lock has to be designed by using a PLC. Once the code is correctly entered, the lock should be opened only for 10 seconds of time period. After the expiration of 10 Sec time, the door should be relocked automatically and the code has to be entered to unlock the door again. The input output arrangement is as follows. (consider the electromechanical lock is releasing when its input is high)

  (12 Marks)



Draw a ladder diagram for above system.

## 05. With regards to control systems

a. Describe data processing in process control as

(06 Marks)

- i. Analog data processing
- ii. Digital data processing
- b. Describes the control functions of,

(06 Marks)

- i. Single controlled objects,
- ii. Groups of objectsiii. Hierarchical structure.
- c. Draw and explain the block diagram of a Digital controller.

(08 Marks)

- 06. With regards to Programmable logic controllers,
  - a. What are the advantages of using PLCs than hard wired control panels.


(06 Marks)

b. A pump controller system has to be developed using a PLC for the draining of a bilge well in a ship as shown in following figure.

(14 Marks)

Once the liquid level is higher than the "High Level Float Switch" the pump should be "ON". And when the liquid level is lower than "Low Level Float Switch" the pump should be "OFF".

Other than that as a protection, the pump should be automatically stopped after 30 Minutes after the activation.



Draw a ladder diagram for above system.

#### Section 3 - Measurements and instrumentation

- 07. With regards to the SMART sensors and its communications,
  - a. Describe the function of a SMART sensor.

(08 Marks)

b. Describe the communication with smart transducers using HART protocol.

(12 Marks)

- 08. With regards to the protection systems,
  - a. Explain the operation of fire and smoke detectors used in ship's fire detection system.

(08 Marks)

b. Describe Ship's fire detection system with the aid of sketches.

(12 Marks)